





Large diaphragm condenser microphone
 Minimal handling noise and high SPL
 Wide frequency range picks up every nuance of the sound
 Rugged metal casing for improved longevity

- Caution!**
- ▶ Never remove the screen holding the capsule, as this may damage the microphone!
 - ▶ Never drop the mic, as this may cause severe damage!
 - ▶ When the microphone is not in use, take it out of its clamp and put it in its case. Clean with damp cloth only.

Element:	34 Pressure Gradient Transducer
Polar Pattern:	Uni-directional
Frequency Response:	20Hz-20kHz
Sensitivity:	-34dB ±2dB (0dB=1 V/Pa at 1 kHz)
Output Impedance:	150 Ohm ±30% (at 1kHz)
Load impedance:	>1000 Ohm
Equivalent Noise level:	16dBA
Max. SPL:	130dB (at 1kHz 1% T.H.D)
S/N Ratio:	78dB
Electrical current:	3mA
Net Weight:	346g
Body Dimension:	46 x 150mm



This product is subject to the European Waste Electrical and Elec-tronic Equipment Directive (WEEE) in its currently valid version. Do not dispose of your old device with your normal household waste. Dispose of this product through an approved waste disposal firm or through your local waste facility. Comply with the rules and regulations that apply in your country. If in doubt, consult your local waste disposal facility.



For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling. Ensure that plastic bags, packaging, etc. are properly disposed of. Do not just dispose of these materials with your normal house-hold waste, but make sure that they are collected for recycling. Please fol-low the notes and markings on the packaging.