





SPJ-1000A Hi-End Active Speaker 10" 400W

A 10" PA box in a strong ABS cabinet featuring a high quality 400W mixer/amplifier, a powerful mid-low woofer and a high compression dynamic horndriver for excellent sound reproduction. The line output allows daisy chaining of additional speakers. The durable impact resistant moulded light weight enclosure is complemented with a tough metal grille that protects the woofer. This active unit can be used standalone and is ideal for use in bars, restaurants, small theatres and halls, fitness and conference rooms and on stages.

Product colour : Black

Speaker type: Active (amplified) Output power: Max: 400W Output power: 200W

Diameter woofer: 10" Magnet weight: 20 oz

Frequency response : 55 - 18.000 Hz

SPL max: 119dB

Supplied features : Speaker pole mount Dimensions (L x W x H) : 260 x 320 x 495mm

Weight (kg): 9,10

- Built-in 400W amplifier with crossover
- 10" Extremely powerful mid-low woofer
- Line and mic input with bass & treble controls
- Wide dispersion horn
- Stand mounting with 35mm pole socket
- Supplied per piece







LS01K Speaker Stand Set in Bag

The LS01K is a kit with 2 heavy duty tripod speaker stands with adjustable height and are compatible with any type of speakers with a hole diameter of about 35 mm. These black heavy-duty anodized telescoping stands are made of steel for durability and stability and the foldable design allows for easy storage and transportation. The tripod legs and pole are locked into position with easy to use twist knobs and features an additional safety catch pin to avoid sudden speaker drops. The stands are able to support equipment up to 30Kgs in weight. Including custom carrying bag.

Product colour : Black

Material: Metal

Dimensions: Folded: 13 x 10 x 92cm Dimensions: Min height: 100cm Dimensions: Max height: 175cm Max. weight load per piece: 30kg

Weight (kg): 5,70

- Set of 2 sturdy, portable and easy to set up speaker stands
- Foldable for quick storage and transport
- Adjustable height (Five pre-set lockable heights)
- Safety Lock-in Pin
- Steel construction with matt black finish
- Rubber-capped feet
- Including carrying bag
- Loading capacity: 30kg



Standard 3 Pin XLR Plug to XLR Line Socket Microphone Lead 6m

Login for price

Standard quality XI.R line glug to XI.R line societ regiscement microphone lead. All metal connectors and screened cable. Ideal for general microphone.

4 Notice

Product Variations

Click the Product Code to view the product page.

Product	Product Code	Lead Length (m)	Add to cart
-	G113A	5	Login for Price
_	EGSSSA	5	Login for Price
_	G113G	5	Login for Price
-	G113H	5	Login for Price
_	G113)		Login for Price
-	G113K	5	Login for Price

Full Product Description

Retall information

Standard quality XLR line glug to XLR line accleat replacement inforoghore lead. All metal connectors and screened cable i deal for general inforoghore.

	GHSA	IGLIZA	G113G	CITIH	GH2)
Cable Reguland	2 Core screened cable	2 Consponented cable	2 Considerand cities	2 Core screened cable	2 Considerand cable
Colour	Sack	Sack	Red	Witte	Sue
Connector Type	3 PhOCR Line Pug 3 PhOCR Line Societ	3PhXLR Une Plug 3PhXLR UneSociet	3 Pin XLR Line Plug 3 Pin XLR Line Societ	3 PinXLR Une Pug (3 PinXLR Une Societ	3 Ph XLR Line Plug (3 Ph) Une Societ
and Langth (m)	ă.	5	5	4	5
Troe	Sandard	Standard	Stancard	Sandard	Standard
Product Dimensions (mm)	75:50:40	75/80/40	75:60:40	75:50:40	75/80/40
Net weight (kg)	0.93	8	0.325	0.025	0.325
4					+
Trade Information					•
	GISSA	ZGLIZA	GL13G	GISSH	GHSI
Reper unlight (kg)	cicce	125	0005	GGC6	0.005
Pasterwight (rg)	coce	0	0005	coce	0.005
Packaged dimensions (Hol/Ad., mm)	260(154)	28042540	350-115-41	250:115:41	280-015-45
Product EAN	5025196028718	5021195219544	5021196026765	5025196026792	5021194024808
Display Footprint (mm)	350c115v41	280:115:41	250x115x41	350c115v41	280:015:41
Pranagors dimensions (mm)	170:115:41	190:115:41	190:115:41	170c115x41	190:015:41
Dross Weight (Packaged) (kg)	0.33	9.25	0.335	0.335	0.325
Rackaging	Seg E Header	Ungedaged	Sag & Header	Segil-Header	Sig S. Header
tem pricediger	4	25	1	4	1
mmer basic (Holloot, mm)	220/370/350	220x370x180	220:570:580	220/370/580	220x370x180
nner box guantity	25	25	25	25	25
Outerbox (Hb/VbC.mm)	450:390:390	480/270/270	450x590x590	450:370:370	480:090:090
Outer box quantity	100	100	900	100	100
Gross vielight outer carton (kg)	25	35300	30.200	35,200	35300
					*