



BEAMZ
MADE
EAZY

150.900 V2.0

SLIMPAR 35

QUICK START GUIDE

CONTROL MENU

MENU			DESCRIPTION
DMX mode	Addr	7CH	d001-d512
		4CH	
		3CH	
Static colours	Stat	S 01-16	Static colors
Auto	Auto	Au 1-2	Auto program
Sound	Soun	So 1-2	Sound Program
Speed	SPEE	SP 1-9	Speed
Mic Sensitivity	SEnS	SE 1-9	MIC sensitivity
Edit colour	Colo	r000-255	Red (0-100%)
		g000-255	Green (0-100%)
		b000-255	Blue (0-100%)
Strobe	Stro	Stro0-9	Stro0-9: 0 for no strobe, 1-9 for strobe rate
Dimming	dIMM	dl 1- dl 9	Master dimming
Silent scene	SILE	on/oFF	Silent scene by Sound program
Slave	SLAV	Slave	Slave

DMX CHANNELS

7 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Master dimming
2	Strobe	000-009	No strobe
		010-255	Strobe from slow to fast
3	Red	000-255	Red 0-100%
4	Green	000-255	Green 0-100%
5	Blue	000-255	Blue 0-100%
6	Colour macro	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	Yellow
		050-059	Magenta
		060-069	Cyan
		070-079	Dark orange
		080-089	Green yellow
		090-099	Salmon
		100-109	Turquoise
		110-119	Light Green
		120-129	Orange
		130-139	Lavender
		140-149	Light blue
		150-159	Dark blue
		160-255	Pink
7	Sound	000-009	No function
		010-069	Colour blending (rate)
		070-129	Colour change (rate)
		130-189	Sound colour blending (rate)
		190-255	Sound colour change (rate)

4 CHANNELS


CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Dimming	000-255	Master dimming
2	Strobe	000-009	No strobe
		010-255	Strobe from slow to fast
3	Colour macro	000-009	No function
		010-019	Red
		020-029	Green
		030-039	Blue
		040-049	Yellow
		050-059	Magenta
		060-069	Cyan
		070-079	Dark orange
		080-089	Green yellow
		090-099	Salmon
		100-109	Turquoise
		110-119	Light Green
		120-129	Orange
		130-139	Lavender
		140-149	Light blue
		150-159	Dark blue
		160-255	Pink
4	Sound	000-009	No function
		010-069	Colour blending (rate)
		070-129	Colour change (rate)
		130-189	Sound colour blending (rate)
		190-255	Sound colour change (rate)

3 CHANNELS

CHANNEL	FUNCTION	VALUE	DESCRIPTION
1	Red	000-255	Red 0-100%
2	Green	000-255	Green 0-100%
3	Blue	000-255	Blue 0-100%



Handwriting practice lines consisting of 20 horizontal dotted lines.





Handwriting practice lines consisting of 20 horizontal dotted lines.



BEAMZ

YOUR FUTURE
YOUR SKILLS
YOUR PLATFORM
YOUR PARTY
YOUR EVENT



is a leading developer of lighting products, including intelligent DMX moving heads, wireless battery operated DMX effects, static washes, sound-activated club effects, strobes & blacklights, LED lighting, fog and special effects machines, lasers and indoor and outdoor architectural lighting, as well as lighting controllers and protective bags.



BEAMZLIGHTING.COM



177.906 **RL CONNEX**

CX100-6 DMX Cable XLR Male - XLR Female 6m

PD Connex professional HQ 6 meter DMX signal cable. This flexible signal cable is fitted with high quality XLR connectors and guarantees a trouble-free and reliable DMX signal transmission. Supplied including cable tie.

IP rating : N/A
Select both plugs : 3-pin XLR (M), 3-pin XLR (F)
Lead length : 6m
Conductor : 28x0.1mm
Outer diameter : 6mm
Shielding : 60x0.1mm
Impedance : 120 Ohm
Weight (kg) : 0,30

- Professional flexible cable
- High quality metal connectors
- Cable tie included
- Various lengths available

Universal Gear Sack

MPN: GEARSAK



EAN: 5056141357386

Carry bag for smoke machines, snow machines, mixers and DJ gear
Strong and durable PVC construction with splashproof coating
Stitched carry handle and large front opening with dual zips
Internal dimensions of 410 x 280 x 180mm suitable for most smoke machines, snow machines and mixers

Introducing GearSak, the universally fitting, carry bag that takes care of your cables, smoke machines, snow machines, small mixers and general equipment's transportation needs, with no fuss or frills- just as you need it - when you need it.

The perfect solution for all mobile DJ's, bands, and live performance artists and all in general.

Features

- Tough PVC Material
- Stitched Carry Handle
- Universal Speaker Fitting
- Holds All Kinds of Equipment

Specifications

Internal Dimensions: 410 x 280 x 180mm
MPN: GEARSAK